

# A•mist<sup>10</sup>, A•mist<sup>20</sup> Oil Mist Collectors

The Absolent type A•mist oil mist collector features one of the most effective systems in the world for cleaning oil mist. A•mist<sup>10</sup> and A•mist<sup>20</sup> are available with different cassettes depending on the application and are designed for air flows up to 590cfm respectively 1180cfm. The collector units are being placed adjacent to one or several machines.

### The highest possible collecting efficiency.

The filtered air becomes so clean that it usually can be returned to the premises. This means less loss of energy and a more balanced ventilation.

### Extremely low maintenance.


Absolent collector units can usually run for at least one year without requiring a filter change. Moreover, A•mist cassettes can usually be washed.\* This results in a low total cost of ownership.

### A very reliable unit.

The fan, as the only moving component, is placed at the clean-side to minimize wear & tear.

**Extremely low noise level** for agreeable working conditions.

\*This does not include HEPA filters.



### Operation

The filtering process occurs in two (A•mist<sup>10</sup>) resp. three (A•mist<sup>20</sup>) stages. The process air passes first through the self-draining Absolent filter cassettes. Here, approximately 90% of the oil mist is arrested. The last stage consists of a HEPA filter, which has a guaranteed and consistent collecting efficiency of 99.97% arresting 0.3 micron dia. particles. The unit has an electronic pressure gauge, A•monitor, which shows the pressure drop over the different stages and indicates when a cassette is to be changed. Thanks to the continuous draining of the cassettes, the unit can be operated without interruptions. The return oil is collected at the bottom of the filter for recycling.

### Range of Application

The Absolent A•mist is well suited for use in applications such as:


- Grinding (cutting fluid emulsion)
- Turning (cutting fluid emulsion)
- Milling (cutting fluid emulsion)
- Electrical discharge machining
- Machining, using straight oil and moderate loads

### Functional design


The A•mist filter range has a highly robust tower design that occupies a minimum of floor space. Its hinged access doors make service still more convenient. The collector is supplied with a baked powder painted finish that adds colour to the shop floor.



### A•mist<sup>10</sup>



### A•mist<sup>20</sup>



#### Technical Data

		A•mist <sup>10</sup>	A•mist <sup>20</sup>
Max permissible air volume	[cfm]	590	1180
Sound level, 1m in front of filter unit <sup>1)</sup>	[dB(A)]	64 <sup>1)</sup>	70
Weight (dry filters)	[lbs]	253	474
Available dim. ext. pressure drop	[in WC]	< 0.2	1.2
Filter area, stage 1 (Absolent filter)	[ft <sup>2</sup> ]	138	154 <sup>2)</sup>
Filterarea stage 2 (Absolentfilter)	[ft <sup>2</sup> ]	-	138 <sup>2)</sup>
Filter area, stage 3 (HEPA filter)	[ft <sup>2</sup> ]	219	219


#### Fan Data

Motor output	[hp]	0.85	3.5
Rated current (3-Phase, 400V)	[A]	1.26	4.6
Power supply	[V]	440-480	440-480


<sup>1)</sup> Sound absorption in premises=2153ft<sup>2</sup>, Hemispherical sound propagation. For sound calculation concerning a specific room, contact us at Absolent or any of our dealers.

<sup>2)</sup> The filter area varies for different applications.

#### Sound level A•mist<sup>10</sup>, dB(A)<sup>1)</sup>




#### Sound level A•mist<sup>20</sup>, dB(A)<sup>1)</sup>



#### Standard Equipment


- RAL 7035 fine structure  
Other colours on request!
- Electronic manometer with the following features:
  - ✓ Pressure drop and operation hour meters
  - ✓ Optical indication of filter alarm (LED).
  - ✓ Digital output signal for remote supervision.



#### Accessories

- Motor starter for fan. Either a manual or protective motor contactor (for automatic or external starting)
- Outlet hood
- Carbon filter
- Duct connections for steel or plastic ductwork
- Extension legs, standard height 15.7 in.
- Water trap for various connections of the return oil pipe
- Pump unit for pumping the return oil from the filter.
- Sound insulation (-3 dB)
- Extra outlet silencers (-2 dB)
- Special colours

#### Unique filter cassettes



Absolent is one of few companies in this line of business that has specialized in the filtration of air containing wet particles.

This has given us the opportunity to develop a filter cassette that offers a long useful life with consistently high separation efficiency.

Dealer: